

ENGINE	1.6L Multijet Diesel 4x2 120hp
No. of cylinders, layout	4 – in line
Displacement (cm ³)	1598
Bore x stroke (mm)	79.5 x 80.5
Valves per cylinder	4
Compression ratio	16.5:1
Maximum power in kW @ rpm	88.3 kW @ 3750 rpm
Max torque in Nm @ rpm	320 Nm @ 1750 rpm
Injection system	Multi-Jet II common rail with electronic high-pressure injection
Fuel type	DIESEL
TRANSMISSION	
Transmission	6-speed manual
1a	4,154
2a	2,118
3a	1,361
4a	0,978
5a	0,756
6a	0,622
Reverse	4,000
PERFORMANCE	
Acceleration: 0-100 km/h (s)	10.2
Top speed (km/h)	178
CONSUMPTION AND EMISSIONS	
Emission standard	Euro 6d
Fuel consumption – combined cycle (l/100km)	4.8 – 4.9
Fuel consumption – extra-urban cycle (l/100 km)	4.2
Fuel consumption – urban cycle (l/100 km)	5.8
CO ₂ emissions – combined cycle (g/km)	127 - 129
Fuel tank (litres)	55
WEIGHTS AND DIMENSIONS	
STD kerb weight. A (kg)	1430
Weight distribution between front/rear (%)	61.1 / 38.9
Height (mm)	1667
Width (mm)	1805
Length (mm)	4236
Wheelbase (mm)	2570
Ground clearance	175
Cargo volume (l) with seats up	351

Cargo volume (l) with rear seats folded	1297
---	------

OTHER	
Turning circle (m)	11
Steering ratio	53.7 mm/g

